

Diode TVS Single Uni-Dir 15V 200W 2-Pin SOD-123F T/R

| Manufacturer: | Littelfuse Inc |
|---------------|----------------|
| Package/Case: | SOD-123FL |
| Product Type: | Thyristors |
| Lifecycle: | Active |



General Description

The SMF series is designed specifically to protect sensitive electronic equipment from voltage transients induced by lightning and other transient voltage events. SMF package is 50% smaller in footprint when compare to SMA package and deliverying one of the low height profiles (1.1mm) in the industry.

Key Features

Application

200W peak pulsepower capability at 10/1000µs waveform, repetition rate (duty cycle): 0.01%

SMF devices are ideal for the protection of I/O interfaces, VCC bus and other vulnerable circuit used in cellular phones, portable devices, business machines, power supplies and other consumer

Compatible with industrial standard package SOD-123FL applications.

Low profile: maximum height of 1.1mm.

Low inductance, excellent clamping capability

For surface mounted applications to optimize board space

High temperature to reflow soldering guaranteed: 260°C/430sec

Typical failure mode is short from over-specified voltage or current

Whisker test is conducted based on JEDEC JESD201A per its table 4a and 4c

IEC-61000-4-2 ESD 30kV(Air), 30kV (Contact)

ESD protection of data lines in accordance with IEC 61000-4-2

EFT protection of data lines in accordance with IEC $61000\mathchar`-4$

Fast response time: typically less than 1.0ns from 0 Volts to VBR min

Glass passivated junction

Built-in strain relief

Plastic package is flammability rated V-0 per Underwriters Laboratories

Meet MSL level1, per J-STD-020, LF maximum peak of $260^{\circ}C$

Matte tin lead-free plated

Halogen-free and RoHS compliant

Pb-free E3 means 2nd level interconnect is Pb-free and the terminal finish material is tin(Sn) (IPC/ JEDEC J-STD609A.01)

UL Recognized to UL 497B

Recommended For You

| SMAJ12A | SMAJ58CA | SMBJ22A |
|----------------|----------------|----------------|
| Littelfuse Inc | Littelfuse Inc | Littelfuse Inc |
| SMA | SMA | SMB |

| SMAJ30A | SMBJ30A | SMAJ24CA |
|----------------|----------------|----------------|
| Littelfuse Inc | Littelfuse Inc | Littelfuse Inc |
| SMA | SMB | DO-214AC |
| SIVER | SIME | D0-214/1C |
| CMD110A | | |
| SMBJ18A | SMBJ24A | SMBJ36CA |
| Littelfuse Inc | Littelfuse Inc | Littelfuse Inc |
| SMB | SMB | SMB |
| | | |
| SMAJ12CA | SMCJ30CA | SMAJ28CA |
| Littelfuse Inc | Littelfuse Inc | Littelfuse Inc |
| SMA | SMC | SMA |
| | | |
| SMBJ26CA | SMBJ17A | SMBJ20A |

Littelfuse Inc

SMB

Littelfuse Inc

SMB

AVAQ SEMICONDUCTOR CO., LIMITED

Littelfuse Inc

SMB