


IRDA TX/RX 0.1152Mbps 2.5V/3.3V 7-Pin Ultra Small Profile T/R

Manufacturer:	Vishay Intertechnology, Inc
Package/Case:	SMD
Product Type:	Infrared Data Communications
RoHS:	RoHS Compliant/Lead free 
Lifecycle:	Active



Images are for reference only

[Inquiry](#)

General Description

Key Features

Compliant to the IrDA physical layer specification

Standard IrDA link distance of 1 m

Low power consumption, typically less than 70 μ A

Less than 1 μ A in shutdown mode

Adjustable to logic I/O voltage swing from 1.5 V to 5.5 V



Recommended For You

TFDU4301-TT1

Vishay Intertechnology, Inc

SMD

TFDU8108

Vishay Intertechnology, Inc

SMD

TFBS4711-TT1

Vishay Intertechnology, Inc

SMD

TFDU8108-TT3

Vishay Intertechnology, Inc

SMD

TFDU6300-TT1

Vishay Intertechnology, Inc

SMD

TFDU4100-TR3

Vishay Intertechnology, Inc

SMD

TFDU6103-TR3

Vishay Intertechnology, Inc

SMD

TFDU4100

Vishay Intertechnology, Inc

SMD

TFDU4101-TT3

Vishay Intertechnology, Inc

SMD

TFBS4711-TR3

Vishay Intertechnology, Inc

SMD

TFDU4101-TR3

Vishay Intertechnology, Inc

SMD

TFDU6300-TR3

Vishay Intertechnology, Inc

SMD

TFDU4300-TT1

Vishay Intertechnology, Inc

CLC-8

TFDS4500-TR3

Vishay Intertechnology, Inc

SMD

TFBS4711-TR1

Vishay Intertechnology, Inc

SMD