

Evaluation Board User Guide UG-462

One Technology Way • P.O. Box 9106 • Norwood, MA 02062-9106, U.S.A. • Tel: 781.329.4700 • Fax: 781.461.3113 • www.analog.com

Evaluation Board for the ADA4432-1, Video Filter Amplifier Offered in 8-Lead LFCSP

FEATURES

Fully assembled and tested **Enables quick customer evaluation Edge-mounted SMA connector provisions** Easy connection to test equipment and other circuits

GENERAL DESCRIPTION

The ADA4432-1BCP-EBZ evaluation board makes it easy for designers to quickly observe the performance of the ADA4432-1 video filter LFCSP package in a real-world application. The ADA4432-1BCP-EBZ uses the same printed circuit board (PCB) as the ADA4433-1BCP-EBZ, and it is marked as such; however, its configuration is optimized for the ADA4432-1.

Input signals are applied through the SMA jack (+IN), and output signals are taken from the SMA jack (+OUT). Power is applied through the red +VS test point. Ground the black GND test point. The ADA4432-1 operates on a single-supply voltage ranging from 2.7 V to 3.6 V and draws approximately 7 mA.

The evaluation board is configured with an input termination resistor (R1) of 75 Ω . Choose this resistor to provide the correct termination or load for the input signal source. For example, some video encoders use current mode video digital-to-analog

converter (DAC) outputs that require a 300 Ω load resistance. In this case, replace R1 with a 300 Ω resistor.

The ADA4432-1BCP-EBZ evaluation board is configured to drive a back terminated 150 Ω load. A series back-termination resistor of 75 Ω is installed on the output at R7. If the input impedance of the load is different from 75 Ω , then R7 can be changed to match the actual load impedance.

The ADA4432-1 can be powered down (disabled) by grounding the orange ENA test point at the top left of the evaluation board. On the evaluation board, this pin is pulled up to +VS through the 4.99 k Ω resistor (R3).

In normal operation, the short-to-battery output flag (STB) is held at a logic low. During a short-to-battery fault condition (where a voltage ranging from 5 V to 18 V is applied to either or both outputs), the STB output voltage is driven to a logic high state. The STB yellow test point (lower left side of the evaluation board) can be used to monitor the short-to-battery output flag function.

Figure 1 and Figure 2 show the evaluation board primary side and secondary side, respectively. Figure 3 shows the evaluation board schematic. The PCB layout pattern for the primary side and secondary side are shown in Figure 4 and Figure 5.

EVALUATION BOARD, PRIMARY SIDE AND SECONDARY SIDE



1. THE EVALUATION BOARD SILKSCREEN PART NUMBER LABELING ON YOUR BOARD MAY BE DIFFERENT FROM WHAT IS SHOWN HERE.

Figure 1. ADA4432-1BCP-EBZ Evaluation Board, Primary Side



Figure 2. ADA4432-1BCP-EBZ Evaluation Board, Secondary Side

UG-462

Evaluation Board User Guide

TABLE OF CONTENTS

Features	Evaluation Board Schematic and Artwork3
General Description	Ordering Information4
Evaluation Board, Primary Side and Secondary Side 1	Bill of Materials4
Parisian History	

REVISION HISTORY

8/12—Revision 0: Initial Version

EVALUATION BOARD SCHEMATIC AND ARTWORK




Figure 3. ADA4432-1BCP-EBZ Evaluation Board Circuit Schematic




Figure 4. ADA4432-1BCP-EBZ Board Layout Pattern, Primary Side




Figure 5. ADA4432-1BCP-EBZ Board Layout Pattern, Secondary Side

ORDERING INFORMATION

BILL OF MATERIALS

Table 1.

Quantity	Reference Designator	Description	Package
1	U1	ADA4432-1 single-ended SD video filter amplifier with output short-to-battery protection	8-Lead LFCSP
1	+VS	Red test point loop connector	TP1
2	C2, C3	0.1 μF chip capacitors	0603
1	C4	10 μF chip capacitor	1206
1	ENA	Orange test point loop connector	TP1
2	GND	Black test point loop connectors	TP1
2	+IN, +OUT	SMA coaxial end launch connectors	SMA-F-End launch
2	−IN, −OUT	Do not install, SMA end launch connectors	SMA-F-End launch
2	R1, R7	75 Ω resistors	0603
1	R3	4.99 kΩ resistor	0603
1	STB	Yellow test point loop connector	TP1
4	R2, R4, R5, R6	Do not install, resistors	0603
1	R11	333 Ω resistor (not installed)	0603
1	D1	Surface-mount LED diode red (not installed)	1206
1	C1	Do not install, 0.1 μF chip capacitor	SMA-F-End launch
2	R9, R10	Do not install, resistors	1206



ESD Caution

ESD (electrostatic discharge) sensitive device. Charged devices and circuit boards can discharge without detection. Although this product features patented or proprietary protection circuitry, damage may occur on devices subjected to high energy ESD. Therefore, proper ESD precautions should be taken to avoid performance degradation or loss of functionality.

Legal Terms and Conditions

By using the evaluation board discussed herein (together with any tools, components documentation or support materials, the "Evaluation Board"), you are agreeing to be bound by the terms and conditions set forth below ("Agreement") unless you have purchased the Evaluation Board, in which case the Analog Devices Standard Terms and Conditions of Sale shall govern. Do not use the Evaluation Board until you have read and agreed to the Agreement. Your use of the Evaluation Board shall signify your acceptance of the Agreement. This Agreement is made by and between you ("Customer") and Analog Devices, Inc. ("ADI"), with its principal place of business at One Technology Way, Norwood, MA 02062, USA. Subject to the terms and conditions of the Agreement, ADI hereby grants to Customer a free, limited, personal, temporary, non-exclusive, non-sublicensable, non-transferable license to use the Evaluation Board FOR EVALUATION PURPOSES ONLY. Customer understands and agrees that the Evaluation Board is provided for the sole and exclusive purpose referenced above, and agrees not to use the Evaluation Board for any other purpose. Furthermore, the license granted is expressly made subject to the following additional limitations: Customer shall not (i) rent, lease, display, sell, transfer, assign, sublicense, or distribute the Evaluation Board; and (ii) permit any Third Party to access the Evaluation Board. As used herein, the term "Third Party" includes any entity other than ADI, Customer, their employees, affiliates and in-house consultants. The Evaluation Board is NOT sold to Customer; all rights not expressly granted herein, including ownership of the Evaluation Board, are reserved by ADI. CONFIDENTIALITY. This Agreement and the Evaluation Board shall all be considered the confidential and proprietary information of ADI. Customer may not disclose or transfer any portion of the Evaluation Board to any other party for any reason. Upon discontinuation of use of the Evaluation Board or termination of this Agreement, Customer agrees to promptly return the Evaluation Board to ADI. ADDITIONAL RESTRICTIONS. Customer may not disassemble, decompile or reverse engineer chips on the Evaluation Board. Customer shall inform ADI of any occurred damages or any modifications or alterations it makes to the Evaluation Board, including but not limited to soldering or any other activity that affects the material content of the Evaluation Board. Modifications to the Evaluation Board must comply with applicable law, including but not limited to the RoHS Directive. TERMINATION. ADI may terminate this Agreement at any time upon giving written notice to Customer, Customer agrees to return to ADI the Evaluation Board at that time, LIMITATION OF LIABILITY, THE EVALUATION BOARD PROVIDED HEREUNDER IS PROVIDED "AS IS" AND ADI MAKES NO WARRANTIES OR REPRESENTATIONS OF ANY KIND WITH RESPECT TO IT. ADI SPECIFICALLY DISCLAIMS ANY REPRESENTATIONS, ENDORSEMENTS, GUARANTEES, OR WARRANTIES, EXPRESS OR IMPLIED, RELATED TO THE EVALUATION BOARD INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, TITLE, FITNESS FOR A PARTICULAR PURPOSE OR NONINFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS. IN NO EVENT WILL ADI AND ITS LICENSORS BE LIABLE FOR ANY INCIDENTAL, SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES RESULTING FROM CUSTOMER'S POSSESSION OR USE OF THE EVALUATION BOARD, INCLUDING BLIT NOT LIMITED TO LOST PROFITS. DELAY COSTS, LABOR COSTS OR LOSS OF GOODWILL, ADI'S TOTAL LIABILITY FROM ANY AND ALL CALISES SHALL BE LIMITED TO THE AMOUNT OF ONE HUNDRED US DOLLARS (\$100.00). EXPORT. Customer agrees that it will not directly or indirectly export the Evaluation Board to another country, and that it will comply with all applicable United States federal laws and regulations relating to exports. GOVERNING LAW. This Agreement shall be governed by and construed in accordance with the substantive laws of the Commonwealth of Massachusetts (excluding conflict of law rules). Any legal action regarding this Agreement will be heard in the state or federal courts having jurisdiction in Suffolk County, Massachusetts, and Customer hereby submits to the personal jurisdiction and venue of such courts. The United Nations Convention on Contracts for the International Sale of Goods shall not apply to this Agreement and is expressly disclaimed.

©2012 Analog Devices, Inc. All rights reserved. Trademarks and registered trademarks are the property of their respective owners. UG10964-0-8/12(0)



www.analog.com