

Conv DC-DC 3.8V to 36V Synchronous Step Down Single-Out 1V to 24V 2A Automotive 12-Pin VQFN-HR T/R


Manufacturer: [Texas Instruments, Inc](#)

Package/Case: VQFN-HR-12

Product Type: Power Management ICs

RoHS: RoHS Compliant/Lead free 

Lifecycle: Active



Images are for reference only

[Inquiry](#)

General Description

The LMR33620-Q1 automotive-qualified regulator is an easy-to-use, synchronous, step-down DC/DC converter that delivers best-in-class efficiency for rugged applications. The LMR33620-Q1 drives up to 2 A of load current from an input of up to 36 V. The LMR33620-Q1 provides high light load efficiency and output accuracy in a very small solution size. Features such as a power-good flag and precision enable provide both flexible and easy-to-use solutions for a wide range of applications. The LMR33620-Q1 automatically folds back frequency at light load to improve efficiency. Integration eliminates most external components and provides a pinout designed for simple PCB layout. Protection features include thermal shutdown, input undervoltage lockout, cycle-by-cycle current limit, and hiccup short-circuit protection. The LMR33620-Q1 is available in a 12-pin 3 mm × 2 mm next generation VQFN package with wettable flanks.

Key Features

AEC-Q100 qualified for automotive applications:

Temperature grade 1: -40°C to $+125^{\circ}\text{C}$, T_{A}

Functional Safety-Capable

Documentation available to aid functional safety system design

Configured for rugged automotive applications

Input voltage range: 3.8 V to 36 V

Output voltage range: 1 V to 24 V

Output current: 2 A

75-m Ω /50-m Ω $R_{\text{DS-ON}}$ power MOSFETs

Peak-current-mode control

Short minimum on-time of 68 ns

Frequency: 400 kHz, 1.4 MHz, 2.1 MHz

Integrated compensation network

Low EMI and switching noise

Hotrod package

Parallel input current paths

High power conversation at all loads

Peak efficiency > 95%

Low shutdown quiescent current of 5 μA

Low operating quiescent current of 25 μA

Create a custom design using the LMR33620-Q1 with the WEBENCH Power Designer

Recommended For You

LM2637M

Texas Instruments, Inc

SOP24

LM5116MH

Texas Instruments, Inc

TSSOP20

LM234Z-3

Texas Instruments, Inc

TO-92

LM27761DSGR

Texas Instruments, Inc

WSO8

LM74700QDBVRQ1

Texas Instruments, Inc

SOT23-6

LM2991S

Texas Instruments, Inc

TO-263

LM74800QDRRRQ1

Texas Instruments, Inc

WSO8-12

LMR14030SDDAR

Texas Instruments, Inc

SOP8

LM2940CT-12

Texas Instruments, Inc

TO-220

LM536035QPWPTQ1

Texas Instruments, Inc

HTSSOP-16

LM5575MH

Texas Instruments, Inc

TSSOP16

LM536013QDSXTQ1

Texas Instruments, Inc

WSO-10

LM5160QPWPRQ1

Texas Instruments, Inc

HTSSOP14

LM5576MH

Texas Instruments, Inc

TSSOP20

LMQ61460AFSQRJRRQ1

Texas Instruments, Inc

VQFN-14