

Diode TVS Single Bi-Dir 15V 5KW 2-Pin Case R-6 T/R

Manufacturer:	STMicroelectronics, Inc
Package/Case:	R-6
Product Type:	Thyristors
Lifecycle:	Active



General Description

The BZW50 TVS series is designed to protect sensitive equipment against electrostatic discharges according to IEC 61000-4-2, MIL STD 883 Method 3015, and electrical overstress such as IEC 61000-4-4 and 5. They are used for surges below 5000 W $10/1000 \mu$ s. This planar technology makes it compatible with high-end equipment and SMPS where low leakage current and high junction temperature are required to provide reliability over time.

Key Features

Peak pulse power:

5000 W (10/1000 μs)

up to 60 kW (8/20 $\mu s)$

5000 W (10/1000 $\mu s)$

up to 60 kW (8/20 µs)

Stand-off voltage range from 12 V to 180 V

Unidirectional and bidirectional types

Operating Tj max: 175 °C

High power capability at Tj max.: up to 3700 W (10/1000 μ s)

Lead finishing: matte tin plating

Recommended For You

BZW06-33

STMicroelectronics, Inc

DO-15

BZW50-15 STMicroelectronics, Inc R-6

ESDA6V1W5 STMicroelectronics, Inc SOT-353

LDP24A STMicroelectronics, Inc R-6

ESDA14V2LY STMicroelectronics, Inc SOT-23 BZW50-68

STMicroelectronics, Inc R6

BZW06-5V8 STMicroelectronics, Inc DO-15

SM15T68A STMicroelectronics, Inc DO-214AB

DALC208SC6 STMicroelectronics, Inc SOT23-6

ESDA5V3LY STMicroelectronics, Inc SOT-23 BZW04-28B

STMicroelectronics, Inc DO-41

ESDLIN1524BJ STMicroelectronics, Inc SOD-323

ESDCAN24-2BLY STMicroelectronics, Inc

SOT-23-3

1.5KE350A STMicroelectronics, Inc DO-201AD

STMicroelectronics, Inc

SMAJ24A-TR