

DS90UB924TRHSRQ1

FPD Link III Serializer for 1-MP/60-fps Cameras


Manufacturer: <u>Texas Instruments, Inc</u>

Package/Case: WQFN48

Product Type: Drivers

RoHS: RoHS Compliant/Lead free

Lifecycle: Active



Images are for reference only

Inquiry

General Description

The DS90UB924-Q1 deserializer, in conjunction with a DS90UB921-Q1, DS90UB925Q-Q1, DS90UB927Q-Q1, DS90UB929-Q1, DS90UB949-Q1, or DS90UB947-Q1 serializer, provides a solution for distribution of digital video and audio within automotive infotainment systems. The device converts a high-speed serialized interface with an embedded clock, delivered over a single signal pair (FPD-Link III), to four LVDS data/control streams, one LVDS clock pair (OpenLDI), and I2S audio data. The serial bus scheme, FPD-Link III, supports high-speed forward channel data transmission and low-speed full duplex back channel communication over a single differential link. Consolidation of audio, video data and control over a single differential pair reduces the interconnect size and weight, while also eliminating skew issues and simplifying system design.

Adaptive input equalization of the serial input stream provides compensation for transmission medium losses and deterministic jitter. EMI is minimized by the use of low voltage differential signaling.

Key Features

Qualified for Automotive Applications AEC-Q100 Device Temperature Grade 2: -40°C to +105°C Ambient Operating Temperature Range

Device HBM ESD Classification Level ±8 kV

Device CDM ESD Classification Level C6

5-MHz to 96-MHz Pixel Clock Support

Bidirectional Control Channel Interface with I²C-Compatible Serial Control Bus

Low EMI OpenLDI Video Output

Supports High Definition (720p) Digital Video

RGB888 + VS, HS, DE and I2S Audio Supported

Up to 4 I2S Digital Audio Outputs for Surround Sound Applications

4 Bidirectional GPIO Channels With 2 Dedicated Pins

Single 3.3-V Supply With 1.8-V or 3.3-V Compatible LVCMOS I/O Interface

DC-Balanced and Scrambled Data with Embedded Clock

Adaptive Cable Equalization

Internal Pattern Generation

Backward Compatible Modes

Recommended For You

SN65LVDS3486D SN65LVDS3487D DS90C032TM

Texas Instruments, Inc Texas Instruments, Inc Texas Instruments, Inc

SOP-16 SOP16 SOP16

DS90C031BTM SN65LVDS31PW SN65LVDS33D

Texas Instruments, Inc Texas Instruments, Inc Texas Instruments, Inc

SOP-16 TSSOP-16 SOP-16

SN65LVDS32D SN65LVDS31D SN65LVDS32PW

Texas Instruments, Inc Texas Instruments, Inc Texas Instruments, Inc

SOP-16 SOP TSSOP16

DS90UB954TRGZIQ1 DS90UB954TRGZRQ1

Texas Instruments, Inc Texas Instruments, Inc Texas Instruments, Inc

SN65DSI83TPAPRQ1

DS90UB924TRHSTQ1

Email: sales@avaq.com

QFN48 VQFN48 HTQFP-64

DS90UB947TRGCTQ1

Texas Instruments, Inc Texas Instruments, Inc Texas Instruments, Inc

DS90LV011AQMF/NOPB

VQFN-64 SOT23-5 WQFN-48