

ATSHA204A-SSHDA-B

CryptoAuthentication™ 4.5KB Authenticator 8-Pin SOIC N Tube

 Manufacturer:
 Microchip Technology, Inc

 Package/Case:
 SOP8

 Product Type:
 Embedded Processors & Controllers

 RoHS:
 RoHS Compliant/Lead free

ATSHA204A-SSHDA-B Image

Images are for reference only

Inquiry

General Description

Lifecycle:

Fast, Secure, and Cost Effective Symmetric Authentication

Active

The Microchip SHA-based CryptoAuthentication crypto element devices have been architected to provide flexible user-configured security to enable a wide range of authentication models. The ATSHA204A is the first device in the SHA device group. The ATECC108A and ATECC508A are supersets of the ATSHA204A and thus upward compatible. As with all CryptoAuthentication devices, the ATSHA204A is easy to design in with no crypto expertise required. Secure Hash Algorithm (SHA) algorithms are widely used in most cryptographic systems and remain an important component in most modern authentication protocols. These devices support the SHA-256 standard. The ATSHA204A is the most cost-effective solution in the Microchip CryptoAuthentication portfolio. It integrates the SHA-256 hash algorithm with a 4.5Kb EEPROM and provides robust hardware authentication using secure key/data storage. The tiny packaging and a single-wire interface make the device ideal for handheld electronic systems and any space-constrained embedded system. CryptoAuthentication devices in the SHA mode include client and host security capabilities that offload key storage and algorithm execution from the microcontroller, significantly reducing system cost and complexity. SHA based symmetric authentication is fast relative to asymmetric approaches, making the ATSHA204A a good choice with speed (and/or cost) are important considerations. CryptoAuthentication devices have full metal shields over all of the internal circuitry, so that if an attacker cuts or short circuits any trace in the shield, the product stops functioning. Additional security features include internal clocks and voltage generation, encrypted memories, tamper detection, and fully secure production test methodologies. With the ATSHA204A implementing host-side security to provide a full system solution is now easier than ever.

The Microchip's ATSHA204A is a full turnkey security device. It includes a 4.5Kb EEPROM divided into 16 slots. This array can be used for storage of keys, miscellaneous read/write, read-only, password or secret data, and consumption tracking. Access to the various sections of memory can be restricted in a variety of ways and then the configuration locked to prevent changes.

Access to the chip is through a standard I2C interface at speeds up to 1Mb/sec. The chip also supports a single-wire interface that can reduce the number of GPIOs required on the system processor and/or reduce the number of pins on connectors. It is compatible with most UART or serial I/O controllers. System integration is eased with a wide supply voltage range and an ultra-low sleep current of less than 100nA.

Key Features

Cost-effective Symmetric Authentication Solution

Fast Authentication

Easy Key Management

Best suited for counterfeit prevention

and Hash-Based Message Authentication Code (HMAC) Options \Box Best-in-class, 256-bit Key Length; Storage for Up to 16 Keys

512 bit OTP (One Time Programmable) Bits for Fixed Information \square Multiple I/O Options-

UART-compatible High-Speed, Single-Wire Interface

1MHz I2C Interface

Secure Download and Boot Ecosystem Control

Message Security

Anti-Cloning









Recommended For You

ATECC508A-MAHDA-S

ATECC608B-SSHDA-B

ATECC508A-SSHDA-B

Microchip Technology, Inc

Microchip Technology, Inc

SOP8

Microchip Technology, Inc

UDFN8

SOP8

ATECC608A-MAHDA-S

Microchip Technology, Inc

UDFN8

ATECC608A-SSHDA-B

Microchip Technology, Inc

SOP8

ATECC608A-SSHDA-T

Microchip Technology, Inc

SOP-8

ATECC608A-MAHDA-T

Microchip Technology, Inc

UDFN8

ATSHA204-SH-DA-T

Microchip Technology, Inc

SOP-8

ATECC608B-MAHDA-S

Microchip Technology, Inc

UDFN8

ATECC508A-SSHDA-T

Microchip Technology, Inc

SOP8

ATSHA204A-MAHCZ-T

Microchip Technology, Inc

UDFN-8

ATECC608B-SSHDA-T

Microchip Technology, Inc

SOP8

ATECC608A-SSHCZ-T

Microchip Technology, Inc

SOIC-8

ATSHA204A-SSHCZ-T

Microchip Technology, Inc

SOIC-8

ATECC108A-MAHDA-T

Microchip Technology, Inc

UDFN-8